

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5249	(material\$1 with propert\$3 with data\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:00
S2	1966	(material\$1 with propert\$3 with data\$4) and (repositor\$3 or database\$1 or (data with store\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 13:26
S3	108	(material\$1 with propert\$3 with data\$4) and (repositor\$3 or database\$1 or (data with store\$1)) and (test\$3 with sample\$1 with material\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 13:26
S4	15	(material\$1 with propert\$3 with data\$4) and (repositor\$3 or database\$1 or (data with store\$1)) and (test\$3 with sample\$1 with material\$1) and (test\$3 with method\$1 with parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:15
S5	1966	(material\$1 with propert\$3 with data\$4) and (repositor\$3 or database\$1 or (data with store\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:15
S6	716	(material\$1 with propert\$3 with data\$4 with (repositor\$3 or database\$1 or (data with store\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:16
S7	43	(material\$1 with propert\$3 with data\$4 with (repositor\$3 or database\$1 or (data with store\$1))) and (sample with test\$3 with material\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:17
S8	482490	(dataset\$1 or (data adj set\$1) or table\$1 or database\$1 or (data adj repositor\$3) or (data adj store\$1)) and (trac\$3 or traceability)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:03

EAST Search History

S9	0	(dataset\$1 or (data adj set\$1) or table\$1 or database\$1 or (data adj repositor\$3) or (data adj store\$1)) and ((trac\$3 or traceability) with manufacturer\$1 with source\$1 with measur\$5 with constraint\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:04
S10	30	(dataset\$1 or (data adj set\$1) or table\$1 or database\$1 or (data adj repositor\$3) or (data adj store\$1)) and ((trac\$3 or traceability) with manufacturer\$1 with source\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:05
S11	9	(dataset\$1 or (data adj set\$1) or table\$1 or database\$1 or (data adj repositor\$3) or (data adj store\$1)) and ((trac\$3 or traceability) with manufacturer\$1 with source\$1) and (material with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:05
S12	9	(dataset\$1 or (data adj set\$1) or table\$1 or database\$1 or (data adj repositor\$3) or (data adj store\$1)) and ((trac\$3 or traceability) with manufacturer\$1 with source\$1) and (material\$1 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:05
S13	0	(dataset\$1 or (data adj set\$1) or table\$1 or database\$1 or (data adj repositor\$3) or (data adj store\$1)) and ((trac\$3 or traceability) with manufacturer\$1 with source\$1) and (material\$1 with data) and procur\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:06
S14	0	(dataset\$1 or (data adj set\$1) or table\$1 or database\$1 or (data adj repositor\$3) or (data adj store\$1)) and ((trac\$3 or traceability) with manufacturer\$1 with source\$1) and (material\$1 with data) and procurement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:06
S15	2	(dataset\$1 or (data adj set\$1) or table\$1 or database\$1 or (data adj repositor\$3) or (data adj store\$1)) and ((trac\$3 or traceability) with manufacturer\$1 with source\$1) and (material\$1 with data) and purchasing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:09
S16	1	(dataset\$1 or (data adj set\$1) or table\$1 or database\$1 or (data adj repositor\$3) or (data adj store\$1)) and ((trac\$3 or traceability) with manufacturer\$1 with source\$1) and (product\$1 with history with data) and purchasing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:09

EAST Search History

S17	240	(dataset\$1 or (data adj set\$1) or table\$1 or database\$1 or (data adj repositor\$3) or (data adj store\$1)) and ((trac\$3 or traceability)) and (product\$1 with history with data) and purchasing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:09
S18	268	(dataset\$1 or (data adj set\$1) or table\$1 or database\$1 or (data adj repositor\$3) or (data adj store\$1)) and ((trac\$3 or traceability)) and (product\$1 with history with data) and (purchasing or procur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:10
S19	125	(dataset\$1 or (data adj set\$1) or table\$1 or database\$1 or (data adj repositor\$3) or (data adj store\$1)) and ((trac\$3 or traceability) with (product\$1 or material\$1)) and (product\$1 with history with data) and (purchasing or procur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:11
S20	1	(dataset\$1 or (data adj set\$1) or table\$1 or database\$1 or (data adj repositor\$3) or (data adj store\$1)) and ((trac\$3 or traceability) with (product\$1 or material\$1)) and (product\$1 with history with data) and (purchasing or procur\$5) and (electronic with (submission or submit\$4) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:32
S21	1388	707/9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:57
S22	336	707/9.ccls. and ((product\$1 or material\$1) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:33
S23	7	707/9.ccls. and ((product\$1 or material\$1) with data) and (sample\$1 with test\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:34

EAST Search History

S24	68	707/9.ccls. and (material\$1 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:41
S25	1	707/9.ccls. and (material\$1 with data with propt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:44
S26	2	(traceability with system with architects).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:47
S27	7	(deliver\$3 with stor\$3 with (maintain\$3 or maintenance) with control\$4 with access with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:48
S28	480	707/9.ccls. and (group\$1 with user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:57
S29	0	707/9.ccls. and (group\$1 with user\$1) and (authoritative with user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:58
S30	9694	(material with test\$3) and (database\$1 or (data adj base\$1) or dataset\$1 or (data adj set\$1) or (data adj store\$1) or (data adj repositor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:11
S31	3295	(material with test\$3) and (database\$1 or (data adj base\$1) or dataset\$1 or (data adj set\$1) or (data adj store\$1) or (data adj repositor\$3)) and (material\$1 with (propt\$3 or specification\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:12

EAST Search History

S32	2556	(material with test\$3 and sample\$1) and (database\$1 or (data adj base\$1) or dataset\$1 or (data adj set\$1) or (data adj store\$1) or (data adj repositor\$3)) and (material\$1 with (properl\$3 or specification\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:49
S33	0	(material with test\$3 and sample\$1) and (database\$1 or (data adj base\$1) or dataset\$1 or (data adj set\$1) or (data adj store\$1) or (data adj repositor\$3)) and (material\$1 with (properl\$3 or specification\$1))and (intrinsic with properl\$3 with result\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:49
S34	2	MatML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 10:52
S35	31216	XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 10:52
S36	107	XML and (material\$1 with properl\$3 with (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 10:57
S37	7418	707/100-104.1.ccls.	USPAT	OR	OFF	2006/03/07 13:01
S38	8083	707/100-104.1.ccls. or 707/9.ccls.	USPAT	OR	OFF	2006/03/07 15:35
S39	7418	707/100-104.1.ccls. or 707/9.ccls. and (dataset\$1 with (owner\$2 or administrator\$2 or manager\$1))	USPAT	OR	OFF	2006/03/07 13:06
S40	7418	707/100-104.1.ccls. or 707/9.ccls. and (dataset\$1 with (owner\$2 or administrator\$2 or manager\$1)) and (provid\$3 with data with creat\$3 with dataset\$1)	USPAT	OR	OFF	2006/03/07 13:08
S41	0	(707/100-104.1.ccls. or 707/9.ccls.) and (dataset\$1 with (owner\$2 or administrator\$2 or manager\$1)) and (provid\$3 with data with creat\$3 with dataset\$1)	USPAT	OR	OFF	2006/03/07 13:08
S42	5	(707/100-104.1.ccls. or 707/9.ccls.) and (dataset\$1 with (owner\$2 or administrator\$2 or manager\$1))	USPAT	OR	OFF	2006/03/07 13:09

EAST Search History

S43	1929	(707/100-104.1.ccls. or 707/9.ccls.) and ((dataset\$1 or data or table\$1) with (owner\$2 or administrator\$2 or manager\$1)) and (database\$1 or (data adj base\$1) or (data adj store\$1) or (data adj reposit\$3))	USPAT	OR	OFF	2006/03/07 13:10
S44	295	(707/100-104.1.ccls. or 707/9.ccls.) and ((dataset\$1 or data or table\$1) with (owner\$2 or administrator\$2 or manager\$1)) and (database\$1 or (data adj base\$1) or (data adj store\$1) or (data adj reposit\$3)) and 707/9.ccls.	USPAT	OR	OFF	2006/03/07 13:12
S45	50	(707/100-104.1.ccls. or 707/9.ccls.) and ((dataset\$1 or data or table\$1) with (owner\$2 or administrator\$2 or manager\$1)) and (database\$1 or (data adj base\$1) or (data adj store\$1) or (data adj reposit\$3)) and 707/9.ccls. and (user\$1 with access\$3 with rights)	USPAT	OR	OFF	2006/03/07 13:12
S46	25	(707/100-104.1.ccls. or 707/9.ccls.) and ((dataset\$1 or data or table\$1) with (owner\$2 or administrator\$2 or manager\$1)) and (database\$1 or (data adj base\$1) or (data adj store\$1) or (data adj reposit\$3)) and 707/9.ccls. and (user\$1 with access\$3 with rights) and (user\$1 with form\$1)	USPAT	OR	OFF	2006/03/07 13:38
S47	6	(707/100-104.1.ccls. or 707/9.ccls.) and ((dataset\$1 or data or table\$1) with (owner\$2 or administrator\$2 or manager\$1)) and (database\$1 or (data adj base\$1) or (data adj store\$1) or (data adj reposit\$3)) and 707/9.ccls. and (user\$1 with access\$3 with rights) and (user\$1 with form\$1) and material\$1	USPAT	OR	OFF	2006/03/07 13:14
S48	8	(707/100-104.1.ccls. or 707/9.ccls.) and ((dataset\$1 or data or table\$1) with (owner\$2 or administrator\$2 or manager\$1)) and (database\$1 or (data adj base\$1) or (data adj store\$1) or (data adj reposit\$3)) and 707/9.ccls. and (user\$1 with access\$3 with rights) and (user\$1 with form\$1) and (user\$1 with (id\$2 or identification or name\$1 or company or group\$1) with ((contact with (information or data)) or email or address\$2 or telephone or phone))	USPAT	OR	OFF	2006/03/07 14:06

EAST Search History

S49	0	(707/100-104.1.ccls. or 707/9.ccls.) and ((dataset\$1 or data or table\$1) with (owner\$2 or administrator\$2 or manager\$1)) and (database\$1 or (data adj base\$1) or (data adj store\$1) or (data adj repositor\$3)) and 707/9.ccls. and (user\$1 with access\$3 with rights) and (user\$1 with form\$1) and (user\$1 with (id\$2 or identification or name\$1 or company or group\$1) with ((contact with (information or data)) or email or address\$2 or telephone or phone)) and (COA)	USPAT	OR	OFF	2006/03/07 14:07
S50	48725	(COA\$2 or (certificate adj2 analysis)) with material\$1	USPAT	OR	OFF	2006/03/07 14:09
S51	3	((COA\$2 or (certificate adj2 analysis)) with material\$1) and ((dataset\$1 or table\$1) with (information or data) with material\$1 with sample\$1 with test\$3 with result\$1)	USPAT	OR	OFF	2006/03/07 14:11
S52	0	((COA\$2 or (certificate adj2 analysis)) with material\$1) and ((dataset\$1 or table\$1) with (information or data) with material\$1 with sample\$1 with test\$3 with result\$1) and (database\$1 or (data adj store\$1) or (data adj base\$1) or (data with repositor\$3))	USPAT	OR	OFF	2006/03/07 14:17
S53	449	(material with property with data)	USPAT	OR	OFF	2006/03/07 14:18
S54	3	(material with property with data) and S38	USPAT	OR	OFF	2006/03/07 14:47
S55	45	(material\$1 with sample with (dataset\$1 or table\$1 or chart\$1 or file\$1) with ((test\$3 with parameter\$1) or (test\$3 with method\$1) or (test\$3 with source) or (test\$3 with (instrument\$1 or machine\$1))))	USPAT	OR	OFF	2006/03/07 14:51
S56	12	(material\$1 with sample with (dataset\$1 or table\$1 or chart\$1 or file\$1) with ((test\$3 with parameter\$1) or (test\$3 with method\$1) or (test\$3 with source) or (test\$3 with (instrument\$1 or machine\$1)))) and (material\$1 with (name\$1 or class\$2 or subclass\$2 or supplier\$1 or composition))	USPAT	OR	OFF	2006/03/07 14:53

EAST Search History

S57	6	(material\$1 with sample with (dataset\$1 or table\$1 or chart\$1 or file\$1) with ((test\$3 with parameter\$1) or (test\$3 with method\$1) or (test\$3 with source) or (test\$3 with (instrument\$1 or machine\$1)))) and (material\$1 with (name\$1 or class\$2 or subclass\$2 or supplier\$1 or composition)) and (sample\$1 with (id\$2 or identification or description or size\$1 or source\$1 or type\$1))	USPAT	OR	OFF	2006/03/07 14:55
S58	1	(material\$1 with sample with (dataset\$1 or table\$1 or chart\$1 or file\$1) with ((test\$3 with parameter\$1) or (test\$3 with method\$1) or (test\$3 with source) or (test\$3 with (instrument\$1 or machine\$1)))) and (material\$1 with (name\$1 or class\$2 or subclass\$2 or supplier\$1 or composition)) and (sample\$1 with (id\$2 or identification or description or size\$1 or source\$1 or type\$1)) and (database\$1 or (data adj base\$1) or (data with repositor\$3) or (data adj store\$1))	USPAT	OR	OFF	2006/03/07 15:32
S59	1	rapra.as.	USPAT	OR	OFF	2006/03/07 15:35
S60	9	S37 and ((database\$1 or (data adj base\$1) or (data with repositor\$3) or (data adj store\$1)) with (material\$1 or fiber\$1 or fibre\$1) with propert\$3)	USPAT	OR	OFF	2006/03/07 15:37
S61	1	S37 and ((database\$1 or (data adj base\$1) or (data with repositor\$3) or (data adj store\$1)) with (material\$1 or fiber\$1 or fibre\$1) with propert\$3) and test\$3	USPAT	OR	OFF	2006/03/07 16:41
S62	4	(sampl\$3 with test\$3 with raw with material\$1 with propert\$3)	USPAT	OR	OFF	2006/03/07 16:42
S63	1068	(database\$1 or (data adj base\$1) or (data with repositor\$3) or (data with warehouse\$1) or (data adj store\$1)) with specification\$1 with (material\$1 or product\$1 or fiber\$1 or fibre\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 10:18
S64	94	(database\$1 or (data adj base\$1) or (data with repositor\$3) or (data with warehouse\$1) or (data adj store\$1)) with sampl\$4 with (material\$1 or product\$1 or fiber\$1 or fibre\$1) with test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:38

EAST Search History

S65	4	(database\$1 or (data adj base\$1) or (data with repositor\$3) or (data with warehouse\$1) or (data adj store\$1)) with sampl\$4 with (material\$1 or product\$1 or fiber\$1 or fibre\$1) with test\$3 with (table\$1 or dataset\$1 or (data adj set\$1) or (information adj set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 10:20
S66	1	(information or data) with stor\$3 with form with instance\$1 with associat\$4 with metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:39
S67	245	(information or data or record\$1) with (instances) with metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:09
S68	26	((information or data or record\$1) with (instances) with metadata) and (instances with value\$1 with metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:10
S69	17	((information or data or record\$1) with (instances) with metadata) and (instances with value\$1 with metadata) and (metadata with ((data with type\$1) or unit\$1 or range\$1 or (default with value\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:13
S70	3	((information or data or record\$1) with (instances) with metadata) and (instances with value\$1 with metadata) and (metadata with ((data with type\$1) or unit\$1 or range\$1 or (default with value\$1))) and (instance\$1 with (equation\$1 or graph\$1 or array\$1 or picture\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:16
S71	1979	(database\$1 or (data adj base\$1) or (data adj repositor\$3) or (data adj store\$1)) and (table\$1 with metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:18

EAST Search History

S72	1400	(database\$1 or (data adj base\$1) or (data adj repositor\$3) or (data adj store\$1)) and (table\$1 with metadata and record\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:18
S73	0	(database\$1 or (data adj base\$1) or (data adj repositor\$3) or (data adj store\$1)) and (table\$1 with metadata and record\$1) and (meteadat with ((data with type\$1) or range\$1 or unit\$1 or default\$1) with value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:19
S74	118	(database\$1 or (data adj base\$1) or (data adj repositor\$3) or (data adj store\$1)) and (table\$1 with metadata and record\$1) and (metadata with ((data with type\$1) or range\$1 or unit\$1 or default\$1) with value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 11:41
S75	21	(submit\$4 with document\$1 with SOAP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 11:41
S76	22	(chemical\$1 with (librar\$3 or director\$3 or database\$1) with nomenclature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 09:53
S10 4	2972	SOAP with protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 13:56
S10 5	162	(SOAP with protocol) and "707"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:59